DOCKET NO.: MSFT-2765/135516.03 **PATENT**

Application No.: 10/629,954

Office Action Dated: October 22, 2007

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently Amended) A computer-readable media including computer-executable

instructions to be executed by a processor to perform the method comprising:

measuring a time interval during an instant messaging session; and

sending an activity message at least prior to an end of the time interval

whenever user activity is detected during the time interval, wherein the activity message

indicates user activity having preparation of an instant message occurred during the time

interval.

2. (Currently Amended) The computer-readable media of claim 1, wherein the user

activity includes instant messaging activity the method further comprising resetting a timer

used to measure the time interval after detecting user activity.

3. (Original) The computer-readable media of claim 2, wherein the user activity includes

user activation of a user input device.

4. (Currently Amended) A method comprising:

measuring a time interval during an instant messaging session; and

sending, at least as early as the end of the time interval, a message indicative

of user activity having indicating that preparation of an instant message occurred within the

time interval whenever user activity is detected during the time interval.

5. (Currently Amended) The method of claim 4, wherein the user activity comprises a

user having generated content for an instant message further comprising resetting a timer

used to measure the time interval after detecting user activity.

6. (Original) The method of claim 5, wherein the user activity includes user activation of

a user input device.

DOCKET NO.: MSFT-2765/135516.03 **PATENT**

Application No.: 10/629,954

Office Action Dated: October 22, 2007

7. (Original) The method of claim 6, wherein said user input device comprises a keyboard.

8. (Currently Amended) A system comprising:

a processor;

memory, coupled to processor, said memory storing instructions to:

measure a time interval <u>during an instant messaging session</u>; and

send an activity message <u>in response to user activity having occurred</u> at

least prior to the end of the time interval whenever user activity occurs during said time

interval, wherein the activity message indicates <u>user activity having preparation of an instant</u>

message occurred during the time interval.

- 9. (Currently Amended) The system of claim 8, wherein said activity message indicates that a user has engaged in the composition of an instant message during the time interval further comprising a timer for measuring a time interval, the memory further storing instructions to reset the timer after the occurrence of user activity.
- 10. (Currently Amended) The system of claim 9 8, wherein said composition preparation of an instant message comprises entering text.

11-13. (canceled)

14. (Previously Presented) A method comprising:

measuring a first time interval;

receiving an activity message at the end of the first time interval whenever user activity is detected during the first time interval, wherein the activity message indicates user activity having occurred during the first time interval;

measuring a second time interval that is greater than the first time interval; and deleting an activity indicator after an end of the second time interval when an activity message is not received, wherein the activity indicator previously indicated user activity having occurred within the first time interval.

DOCKET NO.: MSFT-2765/135516.03 **PATENT**

Application No.: 10/629,954

Office Action Dated: October 22, 2007

15. (Original) The method of claim 14, wherein the activity indicator is indicative of

instant messaging activity.

16. (Original) The method of claim 15, wherein the activity message is received from a

computing device that sends an activity message at least as often as after the passage of every

first time interval while instant message activity is taking place at said computing device.

17. (Previously Presented) A system comprising:

a processor;

memory, coupled to processor, said memory storing instructions to:

measure a first time interval:

receive an activity message at least as often as after the passage of

every first time interval if user activity is detected, wherein the activity message indicates

user activity having occurred within the passage of the first time interval and is generated

whenever user activity has occurred within the passage of the first time interval; and

delete an activity indicator after an end of a second time interval when

an activity message is not received after the passage of said second time interval, wherein the

activity indicator previously indicated user activity having occurred within the passage of the

first time interval.

18. (Original) The system of claim 17, wherein the activity indicator is indicative of

instant messaging activity.

19. (Original) The system of claim 18, wherein the instant messaging activity comprises

includes user activation of a user input device.

20. (Original) The system of claim 18, wherein said second time interval is greater than

said first time interval.